IMPORTANCE:

- 1. These measurements are subrect to change or cancellation, no responsibility is assumed for use of superseded or voided pages.
- 2. Please with consult the manufactory for confirmation of detailed bimensions for builbing construction purposes.
- Due to the printing process,tile colors of the actual products may differ from those pictures for true color matching purposes to products chip color samples.

Mumbai City Vaani Enterprises Vaanibath co.ltd


(Address) :- Manokarmna, Hanuman Mandir Compound, Near Vidya Varidhi School, Vanotha Pada, Nalasopara East - 401209

(E-mail)- info@vaanibath.com Website- www.vaanibath.com Mobail No. +91 8433999089 +91 9607999089

VAANI BATH ENTERPRISES

GSTN:- 27ASDPJ2762P1ZA

Bathroom Product Catalog



Mumbai City

Company Introduction

Foshan Aowo sanitary ware factory is a professional manufacturer of acrylic massage bathtub, independent bathtub, ordinary bathtub, computer steam bath room, dry and wet steam room, sweat steam room and a series of sanitary products integrating R & D, production, sales and service. With 18 years of bathtub production experience, the company has developed into a large-scale sanitary ware company through continuous renewal and efforts, and the product sales have moved towards the international track. Our company has a set of strict quality management system to control the quality of products, and is deeply welcomed by the majority of merchants with superior quality and preferential price in the market. Our company adheres to the business philosophy of "survival by quality and reputation, improvement by integrity and development by exploration and innovation", and takes its scientific production organization, standard operation mode, advanced management means, perfect and strict quality assurance system and excellent and comprehensive service. All staff will go hand in hand towards the same vision, create brilliance and contribute to the prosperity and development of the sanitary industry.



Vaani Bath Enterprises

Contents





Big Pool Controller



GD-7005

IMD Technical Features:

Waterproof, flower proof, sunscreen, durable, high temperature resistant and never change color.

Function configuration:

Intelligent menu control system

Inductive IMD technology control

Water pump 1-3

Circulating pump

Air pump

FM radio

Pool bottom lamp

External audio input (aux)

Ozone disinfection

Constant temperature heating

Circulating pump loading detection

Temperature conversion (Celsius / Fahrenheit)

Temperature error calibration

Time setting

Filter cycle can be set

The filtering time can be set

Sleep function

Winter mode

Anti icing function

Keyboard lock

Full function remote control

Water level detector



GD-730

Full HD, TFT LCD display

Function configuration:

With WiFi remote app function (optional)

Surfing function

Bubble bath function

Constant temperature heating function

Underwater lamp function

Ozone sterilization and disinfection function

FM radio, Bluetooth, MP3 player

FM radio, Bluetooth, MP3 player

Radio frequency wireless remote controller

Air heating equipment control

Automatic water inlet system

Automatic drainage system



GD-805

It adopts transparent plastic box, blue background wide screen LCD dynamic display and inductive key control, which is simple and convenient to operate.

Function configuration:

Microcomputer automatic water level detection Function

Water pump function

Air pump function
Circulating pump function

Underwater lamp

Ozone sterilization and disinfection function

High sensitivity FM radio system

Mp3 function with USB socket

Mobile phone Bluetooth music playback and External audio input interface

Full function infrared remote control




Model: AO-601

Size: 5800x2200x1350mm

Function configuration:

Control system 1set Swim training system 1set Filter pump 1pc Water pump 4pos Led light 4pcs Total power 6.55KW TV (optional) DVD player (optional)






Model: AO-602

Size: 5000x2400x1470mm

Function configuration:

Control system 1set Swim training system 1set Filter pump 1pc Water pump 4pcs Led light 4pcs Total power 6.55KW TV (optional) DVD player (optional)









Size: 7000x3000x1470mm

Function configuration:

Control system 1set
Swim training system 1set
Water pump 1pc
Jet total 55pcs
Led light 4pcs
Total power 11.55KW
TV (optional)
DVD player (optional)







Model: AO-605

Size: 3600x2300x960mm

Control panel
1x1.0 surf pump
Large-size Nozzie for surfing 30pcs
Small-size Nozzie for surfing 30pcs
Small-size Nozzie for surfing 16pcs
Total power: 14kw
Return water 2
2 Rilliowa 123.0 KW
Sand tank filling 400H set
Electronic sterilizer
TV (optional)
DVD player (optional)








Model: AO-604

Size: 3900x2200x1450mm

Function configuration:

Control system 1set Water pump 3pcs Filter pump 1pc Jet total 31pcs Water column 6pcs Led light 2pcs Small led 28pcs Total power 10.35KW TV (optional) DVD player (optional)









Size: 3080x2080x1050mm

Function configuration:

Control panel
22-2 0 surf pump
1x1. 0 surf pump
1x1. 0 surf pump
Large-size Nozzie for surfing 19pcs
Small-size Nozzie for surfing 35pcs
Total power 7.5KW
4 water columns
Return water 2
3 Pillows
3 Pillows
Thermosta t 1x3.0KW
Entrol to the files
Foot padal
TV (optional)
DVD player (optional)











Size: 3200x2200x1080mm

Function configuration:

Raled voltage (with 84A leakage protector)
Total power 6.8KW
Water pump 24Pxt + 0.5HPxt1
Surfing thermestat 3.0KW
LED colorful cloor changing lamp
Surfing thermestat 3.0KW
LED colorful cloor changing lamp
Surfine the surfi







Model: AO-609

Size: 2120x2120x900mm

Function configuration

2:2.0 HP Surfing Pump
1x1.0 HP Surfing pump
1x700W Wind Pump
Total power 6.8kW
Contriol panel
Large-size Nozzle for surfing17pcs
Small-size Nozzle for surfing17pcs
Thermostat
Device
Billion
Led light 1pcs
Air Nozzles for bubble bath 10pcs
TV (optional)
For 6persons 5 seets 1 lying







Model: AO-608

Size: 2690x2090x930mm

Function configuration:

Voltage 220-240/Visol+2
Total Powe 7/KW
Vater Pump 2+IPx1+0.5HPx1
Surt Massage Thermostat 3.0KW
LED Color Light
Purifying Devices
Air pump 400
Kept Pump 400









Size: 2100x1800x850mm

Function configuration:

2x2.0 HP Surfing Pump
1x1.0 HP Surfing pump
1x700W Wind Pump
1x00W Wind Pump
Total power 6 8kW
Control panel
Large-size Nozzie for surfing17pcs
Small-size Nozzie for surfing17pcs
Doeling Device
Filter
Led light 1pcs
Air Nozzie for bubble bath air jets 10 pos
17 (optional)
DVD player (optional)
For 4persons 2 seeds 2 tying









Size: 2350x2350x1000mm

Function configuration

22.2. O HP auf pump
1x1.0 HP surf pump
1x1.0 HP surf pump
1x10 by surf pump
1x10 pump







Eupotion configuration

Model: AO-613

2-20. HP Surfing Pump
1x1.0. HP Surfing pump
1x7.00W Wind Pump
Total power 6.8KW
Control panel
Large-size Nozzle for surfing 30pcs
Thermostat
Dosing Device
Filter
Hospital Power 6.00 HP Surfing
HP Surfing Surfing
17 (opional)
For 6persons 5 seats 1 lying







Model: AO-612

Size: 2850x2350x1000mm

Function configuration:

22.0 HP Surfing Pump
1xt.0 HP Surfing pump
1xt.0 HP Surfing pump
1xt.0 HP Surfing pump
1xtan Pump
Total power 6.8KW
Control panel
Large-size Nozzle for surfing 8pcs
Small-size Nozzle for surfing 34pcs
Thermostat
Dosing Dovice
Filter
Filter
Authority (1pcs
Lore Nozzle for bubble bath19 pcs
1V (opjonal)
DVD player (opjonal)
For 5 persons 3 seats 2 lying











Size: 2100x1800x900mm

Function configuration

22.0 HP Surfing Pump
1x1.0 HP Surfing pump
1x1.0 HP Surfing pump
1x10 MP Surfing pump
1x10 MP Surfing pump
1x10 MP Surfing Pump
1x10 MP Surfing PCS
1x10 MP Surfing PC











Size: 2200x2200x1000mm

Function configuration

22.0 HP Surfing Pump
1x1.0 HP Surfing pump
1x1.0 HP Surfing pump
1x10 Wind Pump
Total power 6.8KW
Control panel
Large-size Nozzle for surfing 11pcs
Small-size Nozzle for surfing 20pcs
Thermostat
Dosling Device
Leef light 1pcs
Air Nozzle for bubble bath 10pcs
TV (optional)
VD player (optional)
For 7persons 6 seats 1 lying









Size: 2350x2200x980mm

Function configuration:

2x3.0 HP Surfing Pump
1x1.0 HP Surfing pump
1x700 W Wind Pump
Total Power 7.5 KW
Control Panel
Large-Size Nozzle for surfing 10 pcs
Small -Size Nozzle for surfing 46 pcs

Thermostat Dosing Device

Filter

Fitter
Led light 1pcs
Air Nozzel for bubble bath 10pcs
TV (optional)
DVD player (optional)
For 7 persons 6 seats 1 lying







Model: AO-616

Size: 2000x1600x950mm

22.0 HP Surfing Pump 1x1.0 HP Surfing pump 1x700W Whith Pump Total power 6 dR/W Control panel Large-size Nozzle for Surfing 1pcs Small-size Nozzle for Surfing 30pcs Thermostat Dosing Device Filter Dosing Device
Filter
Led light 1pcs
Air Nozzle for bubble bath 20pcs
TV (optional)
DVD player (optional)
For 3persons 1 seats 2 lying











Size: 2000x2000x1000mm

Function configuration

Cut list of the Configuration of the Configuration









Size: 1900x1350x840mm 2150x1600x840mm

2v2.0 HP Surfing Pump
1x1.0 HP Surfing pump
1x7.00W Wind Pump
Total power 6.8KW
Control panel
Large-size Nozzle for surfing 11pcs
Small-size Nozzle for surfing 11pcs
Thermostat
Dosing Device
Filter Filter
Led light 1pcs
Air Nozzle for bubble bath 12pcs
TV (optional)
DVD player (optional)
For 3persons 2 seats 1 lying









Size: 3560x2050x1020mm

Function configuration:

Control panel
3x1.0 HP surfing pump
large-size nozzles for surfing
Small-size nozzles for surfing
Chal power 6.8kw
Drain 3pcs
Pillow 4pcs
Thermostat 3.0KW
Dosing Device
Filler 1set
Wooden stairs
TV (optional)
For 10 persons 10 seats







13

Model: AO-620

Size: 2000x2000x900mm

Function contiguratio
2-2.0 HP suring pump
1-1.0 HP suring 12 pcs
1-1.0 HP surin











Size: 2900x2050x1000mm

Function configuration:

control panel 3x1.0 HP surf pump Large-size Nozzle for surfing 5pcs Small-size Nozzle for surfing 30pcs Small-size Nozzle for surfing 3 needle nozzles 10pcs
Total power 6.8kw
Return water 2pcs
Pillows 2pcs
Thermostat 3.0kw
Electronic sterilization
Filter 1set
TV (optional)
For 5 persons 3 seats 2 lying







Size: 1900x1900x920mm

Function configuration:

2x2.0 HP surf pump 1x1.0 HP surf pump 1x700w air pump Total power 6.8kw Control panel
Large-size Nozzle for surfing
Small-size Nozzle for surfing
Thermostat
Electronic sterilizer Electronic sterilizer
Filter
Led light 1pcs
Air Nozzie for bubble bath
TV (optional)
DVD player (optional)
For 5 persons 4 seats 1 lying





Model: AO-624

Size: 2300x2200x950mm

Function configuration:

22.0 HP surf pump
1x1.0 HP surf pump
1x1.0 HP surf pump
1x1.0 HP surf pump
Total power 6.8kw
Control panel
Large-size Nozzie for surfing
Small-size Nozzie for surfing
Thermostat
Electronic sterilizer
Fillor
Fillo











Size: 2150x1700x920mm

Rated voltage (with 64a leakage protector) Total power 6.8kw Water pump 2HPx1+ 0.5hpx1 Surfing themostat 3.0kw LED colorful color changing lamp LED oblorful color changing lamp Sound device Distinction device Weight of empty cylinder 200kg Weight after adding water. 500kg Weight after adding water. 500kg Number of users 3 Large nozzle configuration Small nozzle configuration Spea sit conditioner Water distribution regulator Tips water filtration device Skirt









Model: AO-626

Size: 2200x2350x980mm

Function configuration:

22.0 HP surf pump
1x1.0 HP surf pump
1x700w air pump
1x700w air pump
Total power 6.8kw
Control panel
Large-size Nozzle for surfing 8pcs
Small-size Nozzle for surfing 34pcs
Thermostat
Electronic sterilizer
Eliter Filter
Led light 1pcs
Air Nozzle for bubble bath air jets 19pcs
TV (optional)
DVD player (optional)

Model: AO-627

Size: 1950x1150x850mm

Function configuration:

control panel
2x1.0 HP surf pump
Large-size Nozzle for surfing
Small-size Nozzle for surfing
Total power 6.8kw
Backwater
Pillow
TV (optional)
DVD player (optional)







Size: 1900x1600x850mm

Function configuration:

control panel 2x1.0 HP surf pump Large-size Nozzle for surfing Small-size Nozzle for surfing Total power 6.8kw Backwater
Pillow
17 inch lifting LCD TV
TV (optional)
DVD player (optional)







Size: 2380x2180x950mm

Function configuration:

2×2.0 HP surf pump
1x1.0 HP surf pump
1x700w air pump
1x00w air pump
Total power 6.6kw
Control panel
Large-size Nozzle for surfing
Small-size Nozzle for surfing
Thermostat
Electronic sterilizer Filter
Filter
Led light
Air Nozzle for bubble bath
TV (optional)
DVD player (optional)







Model: AO-630

Size: 2100x2100x900mm

2x2.0 HP surf pump 1x1.0 HP surf pump 1x700w air pump Total power 6.8kw Control panel 8 surfing nozzles 34 surfing fine nozzles Thermostat Electronic sterilizer

Electronic seamon.

Filed light
Air Nozzle for bubble bath air jets 19
TV (optional)
DVD player (optional)











Model: AO-631

Size: 1900x1150x650mm

Left / Right Skirt

Product category (optional): massage cylinder, faucet cylinder, bubble cylinder

Function configuration:

 1.0 HP surf pump
 Hot and cold water switch
 Portable shower
 Bathtub drain Surfing nozzle

Surfing nozzle
Tap
Pillow
Control panel (optional)
Bubble bath (optional)
Constant temperature (optional)
Czone (optional)
Colorful lamp (optional)
TV (optional)
DVD player (optional)



Model: AO-632

Left / Right Skirt

Size: 1860x1500x650mm

Product category (optional): massage cylinder, faucet cylinder, bubble cylinder

Function configuration:

10. HP earl pump
Hol and cold water switch
Portable abover
Bathab drain
Surfing nozzle
Tap
Pillow
Control panel (optional)
Bubble bath (optional)
Constant temperature (optional)
Colordul lamp (optional)
Colordul lamp (optional)

TV (optional)
DVD player (optional)



Model: AO-633

Size: 1800x1700x630mm

Function configuration:

Black acrylin + black pe skirt
Massage motor 1pc
Air motor 1pc
Thermostat motor 1pc
Computer control panel with bluetooth
Big massage jots 6pcs
Small massage jots 12pcs
Air bubble bath jets & coloful LED lights(bottom)8pcs
Colorful LED lights around the tub
Waterfall with LED lights

Hand shower

Hand shower Faucet Hot and cold water switch Change-over switch Drainer Pillow 2pcs TV (optional) DVD player (optional)





Size: 1900x1900x800mm

Function configuration:

2x2.0 HP surfing pump 1x700w wind pump Control panel Large-size Nozzle for surfing 6pcs Small-size Nozzle for surfing17pcs Total power 6.8kw Thermostat Dozing Device Led light
Air Nozzle for bubble bath 10pcs
TV (optional)
DVD player (optional)









Size: 2200x2200x910mm

功能配置: 2月1日日日日 国产自使版材 投租系统1套 但国系料程版1套 水泵2台 循环泵1台 管理系统1会 过滤器1套 类域1个 地版27年 地区27年 地区

White color acrylic Computer control panel 1set Computer control pane Thermostat pump Outside PS skirt 1set Water pump 2pcs Circulation pump 1pc Bluetooth 1set Jets 49pcs Water filter 1set Ozone 1 set Ozone 1 set
Bottom Led light 1pcs
Cold and hot water (DN25)
Overflow
Drainer Plywood package Total power 6.25KW TV (optional) DVD player (optional)





18





Model: AO-636

Size: 1600x1600x630mm 1800x1800x630mm 2080x2080x630mm

Function configuration:

1x1.0 HP Surfing pump Cold / hot water switch Lift the flower spread Drain bathtub Surf nozzle Waterfalls TV (optional) DVD player (optional)









Size: 2400x2400x900mm

White color acrylic Computer control panel Thermostat pump Bluetooth 1set Outside PS skirt
Water pump 2pcs
Circulation pump 1pc Circulation pump 1 pc
Jets 50pcs
Water filter 1 set
Ozone 1 set
Bottom Led light 2 pcs
Cold and hot water (DN25)
Overflow
Drainer
Plywood package
Total power 6 25KW
TV (optional)
DVD player (optional)









Model: AO-638











Size: 2000x2000x950mm





Size: 1550x1550x630mm 1700x1700x630mm

Function configuration:

1x1.0 HP Surfing pump Cold / hot water switch Lift the flower spread Drain bathtub Surf nozzle Waterfalls TV (optional) DVD player (optional)

Model: AO-640

Size: 1050x1050x630mm 1350x1350x630mm 1550x1550x630mm 1750x1750x630mm 1950x1950x630mm

1250x1250x630mm 1450x1450x630mm 1650x1650x630mm 1850x1850x630mm 2050x2050x630mm

Function configuration:

Tutle to I guizativa in the state of the sta











Size: 1500x1500x650mm

Function configuration:

Tutle to To migurative to the comment of the commen









Bathtub Technology

SELF CLEAN FUNCTION

The bathtub drain can effectively delay ad hoc three seconds, the bath clean, washed as dirt.

MASSAGE SYSTEM

The electronic numerical control, hydraulic pulse and ergonomics three cross-collar fusion technology to achieve water pressure pulse to bring you feel like hands massage can be a variety of intensity and the way to choose.

CTC THERMOSTATIC CIRCULATION SYSTEM

Water quietly under the guidance of the pump power, quietly flowing, by the instantaneous heating device constantly heating to ensure constant water temperature. Bath for a long time, do not worry about lower water temperature.

SILENT WATER PUMP

Use a dedicated pump, allowing you to enjoy the warm shower time.

STAINLESS STEEL CYLINDER RACK

Bottom of the cylinder with high-quality stainless steel cylinder support, solid and firm, to prevent rust, durable, Cylinder rack four corners can be adjusted Floor mat, you can effectively adjust the uneven ground, a more stable installation of shower basins, more at

FIT THE HUMAN BODY DESIGN

Tubular interior tempered glass fiber criss-cross structure, can withstand a huge impact without deformation.

COLORFUL LIGHT EFFECT

Waterproof LED lights can be issued 7-color light, bringing the beauty of fairy tale dreams.

MULTIPLE SAFETY PROTECTION

The use of fully isolated hydropower design, a number of safety tests and dynamic monitoring of intelligent data security to ensure safety.

: Massage Bathtub Controller



GD-375

Function configuration:

Liquid crystal display IMD technology integrated face box Inductive key Bluetooth music (mp3) playback Water pump function Constant temperature function Air pump function Pool bottom lamp function Water level detection function

Ozone disinfection function

Keyboard lock

GD-805

Characteristics of induction technology:

Waterproof, flower proof, sunscreen, durable, high temperature resistant and never change color.

Function configuration:

Liquid crystal display

Control induction key FM radio

Sub interface MP3 playback External aux input interface

Water pump function

Constant temperature function

Air pump function

Pool bottom lamp function


Water level detection function Ozone disinfection function

Keyboard lock


TECHNIQUE ADVANTAGE OF BATHTUB

1) SPA Massage System Structure Principle


Advocates safe sanitary wares. Bubble bath pipe syste is in strict accordance with standards of authentication of CE safety system of European Union. It has eliminated the hidden hazards of traditional bubble bath system by setting four water proof devices to separate the electricity and water completely.



Bubble Bath System Structure Principle



3 Massage Bathtub Hydrograph





The average thickness of bathtub wall shall be more than 6mm

& Environmental protection resin + class fiber felt (1 ~ 1.5mm thick





Special nozzle for massage bathtub

The powerful spa nozzle inside the Jacuzzi is designed by a famou

Water Pump

Working priviole of message water pump: the massage water pump sucks the water in the shirtlub firrough the water return gives to present year. And then chose a storing mixed water for work of presents and then chose a storing mixed water for offerest accoping, so as to promote board crustation and eleminating training to the control of the control

23